Sign in

Google

Web Images Video News Maps Advanced Search secondary alternative operating system OS im Search Preferences

Web Results 1 - 10 of about 392,000 for secondary alternative operating system OS image reboot Window

## [PDF] Dual-Booting Tips for XP Embedded

File Format: PDF/Adobe Acrobat - View as HTML

operating system to exist on a PC. Via the boot ini file, you can boot into different OS's such as. DOS, Windows 9X, Windows 2000, Windows XP, and XPe. ... www.sijmicro.com/Docs/XPE%20Dual%20Boot%20Tips.pdf - Similar pages

Tips for dual-booting Windows XP Embedded

default=multi(0)disk(0)rdisk(0)partition(1)\WINDOWS [operating systems] ... If you set the drive letter incorrectly, the OS will reboot over and over ... www.windowsfordevices.com/articles/AT4556932034.html - 45k - Cached - Similar pages

Digg - Ubuntu: The Imperfect Operating System Alternative to Windows "An operating system (OS) is a computer program that manages the hardware ... While Ubuntu may be the imperfect alternative to Windows, what would OS X be? ... www.digg.com/software/Ubuntu\_The\_ Imperfect Operating System\_Alternative\_to\_Windows - 499k - Cached - Similar pages

knoppix linux and microsoft windows Resources on TechRepublic

The preferred way to do that is usually to find some secondary computer that's not ... (We are using Knoppix as an alternative to... Tags: operating system ... search.techrepublic.com.com/search/knoppix+linux+and+microsoft+windows.html - 46k -Cached - Similar pages

hard drive and linux and operating system Resources on TechRepublic Hi I have 2 hardisks, on one have implemented dual boot windows OS(WinXP and ... I installed the Linspire operating system in my hard disk but i didn't ... search.techrepublic.com.com/search/hard+drive+and+linux+and+operating+system.html -46k - Cached - Similar pages [ More results from search techrepublic.com.com ]

Booting - Wikipedia, the free encyclopedia

The boot loader would then read the operating system in from an outside storage ... to the standard OS that hijacks the system and loads the alternative OS. ... en.wikipedia.org/wiki/Booting - 42k - Mar 27, 2007 - Cached - Similar pages

### DB2 Database for Linux, UNIX, and Windows

DB2 install images package format changes (Linux and UNIX) · db2\_deinstall command parameter changes ... High availability on the Windows operating system ... publib.boulder.ibm.com/infocenter/db2luw/v9/index.jsp - Similar pages

Staying Power

If a mainframe server, a z/OS operating system image, or a DB2 subsystem in ... Apply maintenance to the secondary DB2 instance, and stop and restart the ... www.db2mag.com/showArticle.jhtml?articleID=173403264 - 34k - Cached - Similar pages

Windows 2000 Procedure - Change Motherboard and save operating system Since the only thing at issue here is the operating system drivers (mainly the PCI ... Report into Windows. As the new IDE controller is compatible with the ... www.motherboard.windowsreinstall.com/win2k.htm - 40k - Cached - Similar pages

**Alternative Browsers** 

Alternative Browsers For The Windows Operating System: ... has integrated into OS X. For Linux, there are a plethora of alternative browsers available, ... www.techsoup.org/learningcenter/internet/page5257.cfm - 37k - Cached - Similar pages

Result Page:

1 2 3 4 5 6 7 8 9 10

**Next** 

Download Google Pack: free essential software for your PC

secondary alternative operating syst | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 alternate duplicate operating system OS image
 Search
 Advanced Search Preferences

Web Results 1 - 10 of about 433,000 for alternate duplicate operating system OS image reboot Windows. (

#### Microsoft Windows 2000 Remote OS Installation

There are two types of **operating system images** supported by Remote **OS** ... Question: Can RIPrep-based **OS images** be replicated to **alternate** media such as DVD, ... www.microsoft.com/technet/prodtechnol/windows2000serv/deploy/depopt/remoteos.mspx - 121k - <u>Cached</u> - <u>Similar pages</u>

Windows 2000 Procedure - Change Motherboard and save operating system (See Alternate 3A below for alternate procedure starting here). ... (The duplicate is created to trigger a system prompt on reboot which is needed to get ... www.windowsreinstall.com/install/other/motherboard/win2k.htm - 76k - Cached - Similar pages

MIT IS&T: Windows Server Platforms: Installing Clients with the ...
The Microsoft Remote Install System (see the MS Overview), or RIS, ... it contacts the RIS server to access the Windows OS image that initiates the Client ...
web.mit.edu/is/topics/windows/server/winmitedu/RIS.html - 44k - Cached - Similar pages

### Windows 2000 Remote Installation Services (RIS)

Error Message: The **Operating System Image** You Selected Does Not Contain the ... Press any key to **reboot system** When you check the Application event log, ... labmice techtarget.com/windows2000/install/RIS.htm - 46k - <u>Cached</u> - <u>Similar pages</u>

[РРТ] Windows Longhorn ACPI And Power Management - Part 1, ACPI Support ...

File Format: Microsoft Powerpoint - View as HTML

**Windows** Longhorn ACPI Support **Operating System** Interface Revision Level ... No additional drivers or device support required for an **alternate OS** ... download.microsoft.com/download/1/8/f/18f8cee2-0b64-41f2-893d-a6f2295b40c8/TW04080\_WINHEC2004.ppt - <u>Similar pages</u>

#### DB2 Database for Linux, UNIX, and Windows

**Alternate** FixPak **images** are discontinued (UNIX) ... High availability on the **Windows operating system** ... Scheduling programs on z/**OS operating systems** ... publib.boulder.ibm.com/infocenter/db2luw/v9/index.jsp - <u>Similar pages</u>

#### Drive **Image** utilities

and creating **images** of **Windows OS** partitions on other partitions. ... It also contain some code which will start the **operating system**, which can be the ... www.pccitizen.com/drive**image**.htm - 44k - <u>Cached</u> - <u>Similar pages</u>

Disk clone downloads - Acronis Migrate Easy, Wise Clone DVD ...

Windows Vista compatible version of Paragon Drive Backup creates a backup image of entire hard disk, including operating system with all user preferences ...

www.vicman.net/lib/disk-clone.htm - 59k - Cached - Similar pages

#### [PDF] Technical White Paper

File Format: PDF/Adobe Acrobat - View as HTML

Broad support – all **Operating Systems**. Appears to the host **OS** as a local disk. Common ... 21. Restart the **system**. Have **Windows** install CD in the CD drive. ... www.qlogic.com/documents/datasheets/knowledge\_data/whitepapers/SN0032004-00A.pdf - Similar pages

[PDF] Intel Active Management Technology Add-on for SMS 2003 and PCs ... File Format: PDF/Adobe Acrobat or their Windows\* operating system (OS) is unavailable. Business Challenge ... with, power up, reboot, control, and remediate PCs with Intel vPro ... www.intel.com/business/vpro/pdfs/sms\_solutions\_brief.pdf - Similar pages

Result Page:

1 2 3 4 5 6 7 8 9 10

**Next** 

Download Google Pack: free essential software for your PC

alternate duplicate operating system Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2007 Google

Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 alternate duplicate OS image installation Wind
 Search
 Advanced Search Preferences

Web Results 1 - 10 of about 100,000 for alternate duplicate OS image installation Windows malicious prote

## Glossary: Terms | Altiris Juice

Bootworks is the Altiris Deployment Solution pre-OS client typically ... Speeds compile time of a **Windows** Installer **installation** by distributing the ... juice.altiris.com/glossary - 95k - <u>Cached</u> - <u>Similar pages</u>

### Re: Re-installation of Windows XP OS on replacement harddisk ...

4) Now that you have all the updates you will need to **install Windows ... duplicate** copy of your CDs. One such application is ISORecorder: ... www.hostingforum.ca/148497-re-re-installation-windows-xp-os-replacement-harddisk.html - 135k - <u>Cached</u> - <u>Similar pages</u>

## Freeware Alternative - Freeware Software Downloads: The Most ...

It will transform the look of an ordinary **Windows** XP+ system to resemble the look of Mac **OS** X. The installer simply automates the process of replacing ... freewarealternative.blogspot.com/2007/03/most-popular-freeware-for-windows.html - 99k - <u>Cached</u> - <u>Similar pages</u>

### Freeware Alternative - Freeware Software Downloads

Now RegSeeker includes a file tool to search for **duplicate** files, bad shortcuts and ... New **Windows** installer: Based on Nullsoft Scriptable **Install** System, ... freewarealternative.blogspot.com/ - 139k - <u>Cached</u> - <u>Similar pages</u>

### ProSecurity free download ProSecurity is kernel-level security ...

OS, Windows 2000, Windows XP. Homepage, proactive-hips.com ... All protection jobs of ProSecurity are implemented independently by kernel modules which run ... 3d2f.com/programs/46-915-prosecurity-download.shtml - 68k - Cached - Similar pages

#### <u>Software > Utilities > Antiviruses. OS: Windows NT.</u>

Shred the disk Freespace of any Disk, Hidden NTFS Alternate..... certified solution for Microsoft Windows XP, allowing users to enjoy their data protection ... 3d2f.com/catalog/utilities/antiviruses/winnt/ - 56k - Cached - Similar pages

#### Downloads section

**Duplicate** values in these keys is a sure sign of malware; ... The Microsoft **Windows Malicious** Software Removal Tool checks computers running **Windows** XP, ... helpdesk.oneonta.edu/xoops/modules/rss/rss.php?feed=wfdownloads - 33k - <u>Cached</u> - <u>Similar pages</u>

## Windows Vista vindicated and the politics of software! - Forums ...

The content **protection** infrastructure in **Windows** Vista provides a range of à la ... Vista "upgrade" drops compliance checking, requires old **OS** to **install** ... uplink.space.com/showflat.php?Cat=&Board=tech& Number=652974&page=18&view=collapsed&sb... - 58k - <u>Cached</u> - <u>Similar pages</u>

# Computer Repair CD, Fix Any Windows Computer or Hard Drive. - The ... Now you can re-install your OS. Windows Error Messages, just type in the error ... Best

Firewalls, protect yourself from spyware, malware, and malicious ...

www.powersolutionscd.com/ - 81k - Cached - Similar pages

#### The 46 Best-ever Freeware Utilities

Like Windows Defender it has strong active protection. ... An alternative to SpywareGuard is to use one of the free intrusion prevention and detection ... www.techsupportalert.com/best 46 free utilities.htm - 215k - Cached - Similar pages

> Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

alternate duplicate OS image installa Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2007 Google

| Ref<br>#  | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|-----------|------|---|---|---------------------|---------|------------------|
| <b>L1</b> | 22   | (US-20030046680-\$ or US-20020069353-\$ or US-20060100010-\$).did. or (US-7146640-\$ or US-7111176-\$ or US-6948165-\$ or US-6931552-\$ or US-6842861-\$ or US-6564326-\$ or US-6473771-\$ or US-6401210-\$ or US-5640562-\$ or US-6557169-\$ or US-6543004-\$ or US-7107482-\$ or US-6393585-\$ or US-6173417-\$ or US-5829045-\$ or US-5715462-\$ or US-5269022-\$ or US-7000230-\$).did. | US-PGPUB;<br>USPAT  | OR                  | OFF     | 2007/03/29 15:42 |
| L2        | 1    | (DLL near2 CACHE) and L1  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2007/03/29 15:42 |
| S1        | 1    | (preconfigur\$4 pre-initiat\$3<br>pre-install\$3) same ((file registry)<br>near8 (OS "operating system"<br>kernel)) same ((before and after)<br>near5 (ILP boot\$3 reboot\$3<br>restart\$3))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2007/03/28 11:51 |
| S2 .      | 1    | ((configur\$4 preset initiat\$4 install\$3 updat\$4) same ((file registry) near8 (OS "operating system" kernel))) and ((preconfigur\$4 pre-initiat\$3 pre-install\$3) same ((before and after) near5 (ILP boot\$3 reboot\$3 restart\$3)))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2007/03/28 11:53 |
| S3        | 1    | S1 or S2  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2007/03/28 12:34 |
| S4        | 10   | ((creat\$4 generat\$4 register\$3 pre-install\$4) with (image copy duplicat\$2) with ("operating system" (Windows near2 system) OS )) same ((prior before ) near6 (boot\$4 restart\$3 ILP reboot\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2007/03/28 12:41 |

| CE  | 07  | ((non native temperant image)  | LIC DCDUD   | OD   | OFF | 2007/02/20 12-46 |
|-----|-----|--|---|------|-----|------------------|
| S5  | 87  | ((non-native temporar\$4 image)<br>and (driver and register\$3<br>registr\$3)) same ((install\$4<br>upgrad\$4 activation) and (restart\$3<br>reboot\$3))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2007/03/28 12:46 |
| S6  | 1   | (((manipulated temporar\$4 fake<br>modified 'ersatz' falsified) near9<br>"operating system") and (driver and<br>register\$3 registr\$3)) same<br>((install\$4 upgrad\$4 activation) and<br>(restart\$3 reboot\$3)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2007/03/28 12:55 |
| S7  | 8   | (((manipulated temporar\$4 fake modified 'ersatz' falsified) near9 "operating system") ) same ((install\$4 upgrad\$4 activation) and (restart\$3 reboot\$3)) and (driver and register\$3 registr\$3)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2007/03/28 12:49 |
| S8  | . 7 | (upgrad\$4 installation updat\$4).<br>clm. and ((pre-configur\$5<br>pre-install\$4 preconfigur\$4<br>preinstall\$4 preintegrat\$4) same<br>((temporary non-native) with (file<br>driver component)))               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2007/03/28 13:01 |
| S9  | 2   | "7146640".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2007/03/28 13:01 |
| S10 | 9   | ("20020069369"   "20030097588"  <br>"6401210"   "6405318"   "6473825"<br>  "6480962"   "6526488"  <br>"6564326"   "6578140").PN.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR   | OFF | 2007/03/28 13:01 |
| S11 | 1 2 | ("6564326").URPN.  | USPAT   | OR   | OFF | 2007/03/28 13:02 |
| S12 | 2   | ("6564326").URPN.  | USPAT   | OR . | OFF | 2007/03/28 13:02 |
| S13 | 12  | ("6401210").URPN.  | USPAT   | OR   | OFF | 2007/03/28 13:07 |
| S14 | 3   | S13 and (install\$4 same (reboot\$4 boot\$4 restart\$4))   | USPAT   | OR   | OFF | 2007/03/28 13:08 |
| S15 | 0   | ("6931552").URPN.  | USPAT   | OR   | OFF | 2007/03/28 14:37 |
| S16 | 2   | ("6473771" "6698018"<br>"20040034848").pn.   | USPAT   | OR   | OFF | 2007/03/28 14:39 |
| S17 | 0   | Cohen.in. and "717/120" and @pd="20040219"   | USPAT   | OR   | OFF | 2007/03/29 10:21 |
| S18 | 0   | Cohen.in. and @pd="20040219"   | USPAT   | OR   | OFF | 2007/03/28 16:33 |
| S19 | 1   | Cohen.in. and 717/120  | USPAT   | OR   | OFF | 2007/03/28 14:42 |
| S20 | 34  | Cohen.in. and "717"/\$   | USPAT   | OR   | OFF | 2007/03/28 14:43 |

| S21 | 0  | "20040034848" and "Rule engine"   | USPAT   | OR | OFF | 2007/03/28 14:45 |
|-----|----|---|---|----|-----|------------------|
| S22 | 0  | "20040034848"   | USPAT   | OR | OFF | 2007/03/28 14:45 |
| S23 | 11 | (US-20030046680-\$ or<br>US-20020069353-\$).did. or<br>(US-6948165-\$ or US-5640562-\$ or<br>US-7146640-\$ or US-6564326-\$ or<br>US-7111176-\$ or US-6401210-\$ or<br>US-6842861-\$ or US-6931552-\$ or<br>US-6473771-\$).did.   | US-PGPUB;<br>USPAT  | OR | OFF | 2007/03/28 16:31 |
| S24 | 48 | ((secondary duplicate replacement satellite) adj2 (OS "operating system")) and (security install\$4 protection).ab.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/28 16:33 |
| S25 | 3  | S24 and @rlad<"20040129"  | USPAT   | OR | OFF | 2007/03/29 10:21 |
| S26 | 9  | S24 not S25   | USPAT   | OR | OFF | 2007/03/28 16:34 |
| S27 | 3  | ("6934881").URPN.   | USPAT   | OR | OFF | 2007/03/28 16:36 |
| S28 |    | ("5269022"   "5469573"   "5708776"   "5713024"   "5715462"   "5745669"   "5829045"   "5960445"   "6016553"   "6145088"   "6170055"   "6173417"   "6195695"   "6281894"   "6314532"   "6385707"   "6393585"   "6427091"   "6519762"   "6543004"   "6557169"   "6591376"   "6625754").PN. | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | OFF | 2007/03/28 16:37 |
| S29 |    | DLLCACHE same "I386"\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/29 10:17 |
| S30 | 1  | DLLCACHE and "I386"\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/29 10:17 |
| S31 | 0  | DLLCACHE and reboot\$4  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/29 15:42 |

| S32 | 1   | DLLCACHE and boot\$4  | US-PGPUB;   | OR   | OFF         | 2007/03/29 10:18 |
|-----|-----|---|---|------|-------------|------------------|
|     |     | Decartaine and booty i  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              |      | <b>G.</b> . | 2007,00,25 20120 |
| S33 | 3   | DLLCACHE  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF         | 2007/03/29 10:19 |
| S34 | 87  | (updat\$4 upgrad\$4 install\$4<br>download\$4) and (overwrit\$4<br>replac\$3) and "I386"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | OFF         | 2007/03/29 10:26 |
| S35 | 12  | S34 and @rlad<"20040129"  | USPAT   | OR   | OFF         | 2007/03/29 10:25 |
| S36 | 29  | S34 not S35   | USPAT   | OR   | OFF         | 2007/03/29 10:22 |
| S37 | . 0 | S36 and (DII near4 cache)   | USPAT   | OR   | OFF         | 2007/03/29 10:23 |
| S38 | 0   | S35 and (DII near4 cache)   | USPAT   | OR   | OFF         | 2007/03/29 10:23 |
| S39 | 4   | (updat\$4 upgrad\$4 install\$4<br>download\$4) and (Dll near4 cache)<br>near8 directory   | USPAT   | OR   | OFF         | 2007/03/29 10:25 |
| S40 | 1   | S34 and ((overwrit\$4 replac\$3) same ( ("I386" "dll") with (directory file cache)))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF         | 2007/03/29 10:36 |
| S41 |     | (US-20030046680-\$ or US-20020069353-\$ or US-20060100010-\$).did. or (US-7146640-\$ or US-6931552-\$ or US-6948165-\$ or US-6564326-\$ or US-6842861-\$ or US-6401210-\$ or US-6473771-\$ or US-6401210-\$ or US-5640562-\$ or US-6557169-\$ or US-6543004-\$ or US-7107482-\$ or US-6393585-\$ or US-6173417-\$ or US-5829045-\$ or US-5715462-\$ or US-5269022-\$ or US-7000230-\$).did. | US-PGPUB;<br>USPAT  | OR   | OFF         | 2007/03/29 12:59 |
| S42 | 9   | S41 and (file with (path "file system" directory) )   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF         | 2007/03/29 13:07 |

| S43 | 1 | S41 and SOE with SOS and replac\$4 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/29 13:07 |
|-----|---|------------------------------------|---|----|-----|------------------|
|-----|---|------------------------------------|---|----|-----|------------------|